




Acebutolol Hydrochloride


A solution in 0.01 mol/L hydrochloric acid TS (1 in 100,000)

Acetohexamide 1


A solution prepared as follows: Dissolve 0.10 g in 100 mL of methanol. To 5 mL of this solution add 20 mL of 0.5 mol/L hydrochloric acid TS and 75 mL of methanol (Sample solution 1).

Acetohexamide 2


A solution prepared as follows: To 10 mL of Sample solution 1 add methanol to make 50 mL (Sample solution 2).

Aclarubicin Hydrochloride




A solution in diluted methanol (4 in 5) (3 in 100,000)


Acrinol Hydrate

An aqueous solution (3 in 250,000)


Actinomycin D

A solution in methanol (3 in 100,000)


Afloqualone**Alimemazine Tartrate****Allopurinol**

Alprazolam


A solution in ethanol (95) (1 in 200,000)

Alprenolol Hydrochloride


A solution in ethanol (95) (1 in 10,000)

Alprostadil


A solution prepared as follows: To 10 mL of a solution in ethanol (99.5) (1 in 100,000) add 1 mL of potassium hydroxide-ethanol TS, and allow to stand for 15 minutes.

Alprostadil Alfadex




A solution prepared as follows: To 10 mL of a solution in dilute ethanol (3 in 10,000) add 1 mL of potassium hydroxide-ethanol TS, and allow to stand for 15 minutes.




Ambenonium Chloride

A solution in methanol (1 in 5000)


Amitriptyline Hydrochloride

An aqueous solution (1 in 100,000)


Amoxapine**Amphotericin B****Arotinol Hydrochloride**

Asoxicillin Hydrate**Atenolol****Azathioprine**


A solution prepared as follows: To 5 mL of a solution in 2 mol/L hydrochloric acid TS (1 in 10,000) add water to make 50 mL.

Aztreonam




An aqueous solution (3 in 100,000)




Bacampicillin Hydrochloride




A solution in methanol (1 in 1000)


Baclofen

A solution in 0.1 mol/L hydrochloric acid TS (1 in 2000)


Bamethan Sulfate**Benidipine Hydrochloride****Benserazide Hydrochloride**

Benzalkonium Chloride**Benzbromarone****Benzethonium Chloride**


Benzylpenicillin Benzathine Hydrate**Benzylpenicillin Potassium****Berberine Chloride Hydrate**

Berberine Tannate




A solution prepared as follows: Dissolve 0.01 g in 10 mL of methanol and 0.4 mL of 1 mol/L hydrochloric acid TS, and add water to make 200 mL. To 8 mL of this solution add water to make 25 mL.


Betahistidine Mesilate

A solution in 0.1 mol/L hydrochloric acid TS (1 in 50,000)


Betamethasone

A solution prepared as follows: Dissolve 1.0 mg in 10 mL of ethanol (95). To 2 mL of this solution, add 10 mL of phenylhydrazine hydrochloride TS, shake, heat in a water bath at 60°C for 20 minutes, and allow it to cool. Blank: A solution obtained by proceeding in the same manner with 2.0 mL of ethanol (95).


Betamethasone Dipropionate**Bezafibrate****Bifonazole**

Biperiden Hydrochloride


An aqueous solution (1 in 2000)

Bisacodyl


A solution in ethanol (95) (3 in 100,000)

Bleomycin Hydrochloride


A solution prepared as follows: To 4 mg add 5 μ L of copper (II) sulfate TS, and dissolve in water to make 100 mL.

Bleomycin Sulfate


A solution prepared as follows: To 4 mg add 5 μ L of copper (II) sulfate TS, and dissolve in water to make 100 mL.

Bromazepam


A solution in ethanol (99.5) (1 in 200,000)

Bromhexine Hydrochloride


A solution in 0.01 mol/L hydrochloric acid TS (3 in 100,000)

Bromocriptine Mesilate




A solution in methanol (3 in 100,000)


Bucumolol Hydrochloride

An aqueous solution (1 in 60,000)


Bufetolol Hydrochloride

An aqueous solution (1 in 20,000)


Bufexamac**Bumetanide****Bupranolol Hydrochloride**

Butropium Bromide 1




A solution in methanol (1 in 100,000)


Butropium Bromide 2

A solution in methanol (1 in 5000)


Calcium Folinate

An aqueous solution (1 in 100,000)


Camostat Mesilate**Carbamazepine****Carbazochrome Sodium Sulfonate Hydrate**

Carbidopa Hydrate


A solution prepared as follows: Dissolve 0.01 g in 250 mL of a solution of hydrochloric acid in methanol (9 in 1000)

Carmofur


A solution in a mixture of methanol and phosphoric acid-acetic acid-boric acid buffer solution, pH 2.0 (9:1) (1 in 100,000)

Carteolol Hydrochloride


An aqueous solution (1 in 100,000)

Carumonam Sodium


An aqueous solution (3 in 100,000)

Cefaclor


An aqueous solution (1 in 50,000)

Cefadroxil


An aqueous solution (1 in 50,000)

Cefalexin




An aqueous solution (3 in 100,000)


Cefalotin Sodium

An aqueous solution (1 in 50,000)


Cefapirin Sodium

An aqueous solution (3 in 200,000)


Cefatrizine Propylene Glycolate**Cefazolin Sodium****Cefbuperazone Sodium**

Cefditoren Pivoxil


A solution in methanol (1 in 50,000)

Cefixime


A solution in 0.1 mol/L phosphate buffer solution, pH 7.0 (1 in 62,500)

Cefmenoxime Hydrochloride


A solution in 0.1 mol/L phosphate buffer solution, pH 6.8 (3 in 200,000)

Cefmetazole Sodium


An aqueous solution (1 in 40,000)

Cefminox Sodium Hydrate


An aqueous solution (1 in 50,000)

Cefodizime Sodium


An aqueous solution (1 in 50,000)

Cefoperazone Sodium


An aqueous solution (1 in 50,000)

Cefotaxime Sodium


A solution in 0.01 mol/L hydrochloric acid TS (1 in 50,000)

Cefotetan


A solution in phosphate buffer solution for antibiotics, pH 6.5 (1 in 100,000)

Cefotiam Hexetil Hydrochloride




A solution in 0.1 mol/L hydrochloric acid TS (3 in 125,000)




Cefotiam Hydrochloride




An aqueous solution (1 in 50,000)




Cefpiramide Sodium


A solution in 0.05 mol/L phosphate buffer solution, pH 7.0 (1 in 50,000)

Cefpodoxime Proxetil**Cefroxadine Hydrate****Cefsulodin Sodium**


Ceftazidime Hydrate**Cefteram Pivoxil****Ceftizoxime Sodium**

Ceftriaxone Sodium Hydrate**Cefuroxime Axetil****Cefuroxime Sodium**


Cetraxate Hydrochloride**Chloramphenicol****Chloramphenicol Palmitate**

Chloramphenicol Sodium Succinate


An aqueous solution (1 in 50,000)

Chlordiazepoxide


A solution in 0.1 mol/L hydrochloric acid TS (1 in 200,000)

Chlorphenesin Carbamate


A solution in ethanol (95) (3 in 200,000)

Chlorpheniramine Maleate




A solution in 0.1 mol/L hydrochloric acid TS (3 in 100,000)




d-Chlorpheniramine Maleate




A solution in 0.1 mol/L hydrochloric acid TS (3 in 100,000)




Chlorpropamide




A solution prepared as follows: Dissolve 0.08 g in 50 mL of methanol. To 1 mL of this solution add 0.01 mol/L hydrochloric acid TS to make 200 mL.




Cilostazol**Cisplatin****Clinofibrate**




Clocapramine Hydrochloride Hydrate**Clofedanol Hydrochloride****Clofibrate 1**




Clofibrate 2**Clomifene Citrate****Clomipramine Hydrochloride**


Clonazepam**Clonidine Hydrochloride****Cloperastine Hydrochloride 1**

Cloperastine Hydrochloride 2**Clotiazepam****Clotrimazole**


Cloxacillin Sodium Hydrate**Cloxazolam****Cocaine Hydrochloride 1**

Cocaine Hydrochloride 2**Codeine Phosphate Hydrate****Colchicine**


Cortisone Acetate**Croconazole Hydrochloride****Cyanocobalamin**

Cyproheptadine Hydrochloride Hydrate



A solution in ethanol (95) (1 in 100,000)

Cytarabine


A solution in 0.1 mol/L hydrochloric acid TS (1 in 100,000)

Dantrolene Sodium Hydrate




An aqueous solution (1 in 100,000)


Daunorubicin Hydrochloride**Demethylchlortetracycline Hydrochloride**

A solution prepared as follows: Dissolve 40 mg in 250 mL of water. To 10 mL of this solution add 85 mL of water and 5 mL of a solution of sodium hydroxide (1 in 5).


Dexamethasone

A solution prepared as follows: Dissolve 1 mg in 10 mL of ethanol (95). To 2 mL of this solution add 10 mL of phenylhydrazine hydrochloride TS, shake, warm in a water bath at 60°C for 20 minutes, and allow to cool.
Blank: A solution obtained by proceeding in the same manner with 2.0 mL of ethanol (95).


Dextromethorphan Hydrobromide Hydrate**Diazepam****Dibucaine Hydrochloride**

Diclofenamide


A solution prepared as follows: Dissolve 0.01 g in 100 mL of 0.01 mol/L sodium hydroxide TS. To 10 mL of this solution add 0.1 mL of hydrochloric acid.

Dicloxacillin Sodium Hydrate


An aqueous solution (1 in 2500)

Dihydrocodeine Phosphate


An aqueous solution (1 in 10,000)

Dihydroergotamine Mesilate


A solution in methanol (1 in 20,000)

Dilazep Hydrochloride Hydrate


An aqueous solution (1 in 50,000)

Diltiazem Hydrochloride


A solution in 0.01 mol/L hydrochloric acid TS (1 in 100,000)

Dimemorfan Phosphate




An aqueous solution (1 in 5000)


Dimorpholamine

An aqueous solution (1 in 50,000)


Dinoprost

A solution prepared as follows: Dissolve 1 mg in 50 mL of diluted sulfuric acid (7 in 10). Warm this solution in a water bath at 50°C for 40 minutes, and allow to cool.


Diphenhydramine Hydrochloride**Dipyridamole****Disopyramide**

Distigmine Bromide



An aqueous solution (1 in 25,000)

Disulfiram

A solution in ethanol (95) (1 in 100,000)

Dopamine Hydrochloride

A solution in 0.1 mol/L hydrochloric acid TS (1 in 25,000)

Doxapram Hydrochloride Hydrate**Doxifluridine****Doxorubicin Hydrochloride**